Work Order ID 109634

November-22-13 9:51:17 AM

D2565-105

B109634

109634

Item ID: D2565-105

Accept *N900040100*

Setup Start *NS1* Stop *NS2*

Revision ID:

Item Name: Strut

Start Date: 11/22/13 **Start Qty:** 10.00 *10*

Required Date: 12/06/13 **Req'd Qty:** 10.00 *10*

Cust Item ID:

Customer:

Reference:

Run Start *NR1* Stop *NR2*

Approvals: **Process Plan:** MLJ **Date:** 13-11-22 **Tooling:** ______ **Date:** ______

QC: ______ **Date:** ______ **SPC (Y/N):** ______ **Date:** ______

Draw Nbr	Revision Nbr
D2565	Rev E

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
100 *100* Brake NC Brake NC	NC BRAKE **Memo** Punch as per Dwg D2565 usingDT 8313	0.00 0.00			DAS 30 9-89	10			13/11/25
110 *110* Small Fab Small Fab	Small Fab **Memo** Drill hole open to .316 Ø as per Dwg D2565 (one end only) Deburr	0.00 0.00				10x			DAS 36 9-89 13/12/11
120 *120* QC Quality Control	QC5- Inspect part completeness to step on W/O **Memo**	0.00 0.00	DAS 27 9-89 13/12/11			10			

DQA: ____________ Date: ____________

QA Closed: Date:

WORK ORDER NON-CONFORMANCE / UPDATE

DART AEROSPACE

Work Order update only ☐

Work Order: ______________________

Part No. ______________________

NCR No. ______________________

DISPOSITION

- Rework ☐
- Scrap ☐
- Use-as-is ☐
- Suspected Unapproved ☐

AGAINST DEPARTMENT/PROCESS

Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
Large Fab ☐	Composite ☐	Supplier ☐	☐

Root Cause		Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design	☐									
Doc/Data	☐									
Equip/Tooling	☐									
Handling/Pre	☐									
Material	☐									
Operator	☐									
Offset/Setup	☐									
Process	☐									
Supplier	☐									
Training	☐									
Transport	☐									
Unapproved	☐									

FAULT CATEGORY

Landing Gear	General			
☐ Bending	☐ Bend	☐ Folio/Program	☐ Outside Dimensions	☐ Pressure/Forced
☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance	☐ Set-up
☐ Cracks	☐ Broken/Damage/Defect	☐ Hardware	☐ Part Incorrect	☐ Temperature/Cure
☐ Crimp/Kink/Ripple/Wave	☐ Burrs	☐ Inspection Incomplete/Unqualified	☐ Part Lost/Missing	☐ Weld
☐ Cuffs	☐ Contamination	☐ Instructions Incomplete/Unclear	☐ Part Moved	☐ Wrong Stock Pulled
☐ Crushing	☐ Countersink	☐ Misaligned/off center	☐ Positioned Wrong	
☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Power Loss/Surge	☐ Other
☐ Inspection Strip in Tube	☐ Drawing	☐ Misread	______________	
☐ Marks/Chatter	☐ Drill Holes	☐ Off-set	______________	
☐ Turning Sequence	☐ Finish	☐ Out of Calibration	______________	
☐ Wave/Twist in Tube	☐ Fit/Function	☐ Out of Sequence		

Work Order ID 109634   *109634*

November-22-13 9:51:17 AM

Item ID: D2565-105	**Accept** *N900040100*	**Setup**	**Start** *NS1*
Revision ID:			**Stop** *NS2*
Item Name: Strut			
Start Date: 11/22/13	**Start Qty:** 10.00 *10*	**Cust Item ID:**	
Required Date: 12/06/13	**Req'd Qty:** 10.00 *10*	**Customer:**	
Reference:			

Approvals: **Process Plan:** ______ **Date:** ______ **Tooling:** ______ **Date:** ______   **Run** **Start** *NR1*

QC: ______ **Date:** ______ **SPC (Y/N):** ______ **Date:** ______   **Stop** *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130 *130* Powdercoat Powder Coating	White Gloss(Ref:4.3.5.2) per QSI005 4.3-Steel M126 [illegible] **Memo** START TIME: 11:50 OVEN TEMPERATURE: 400° FINISH TIME: 12:20	0.00 0.00				10,	13-12-16		DAS 34 9-89
140 *140* QC Quality Control	QC3- Inspect Part Finish **Memo**	0.00 0.00	DAS 27 9-89 13/12/16			10			
150 *150* Packaging Packaging	Identify as per dwg & Stock Location: [illegible] **Memo**	0.00 0.00				10X DAS 26 9-89		[illegible] 13-12-16	

DQA: ________ Date: ________

QA Closed: Date:

WORK ORDER NON-CONFORMANCE / UPDATE

DART AEROSPACE

Work Order update only ☐

Work Order: ________	DISPOSITION	AGAINST DEPARTMENT/PROCESS			
Part No. ________	Rework ☐	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
NCR No. ________	Scrap ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
	Use-as-is ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
	Suspected Unapproved ☐	Large Fab ☐	Composite ☐	Supplier ☐	☐

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design ☐									
Doc/Data ☐									
Equip/Tooling ☐									
Handling/Pre ☐									
Material ☐									
Operator ☐									
Offset/Setup ☐									
Process ☐									
Supplier ☐									
Training ☐									
Transport ☐									
Unapproved ☐									

FAULT CATEGORY

Landing Gear	General			
☐ Bending	☐ Bend	☐ Folio/Program	☐ Outside Dimensions	☐ Pressure/Forced
☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance	☐ Set-up
☐ Cracks	☐ Broken/Damage/Defect	☐ Hardware	☐ Part Incorrect	☐ Temperature/Cure
☐ Crimp/Kink/Ripple/Wave	☐ Burrs	☐ Inspection Incomplete/Unqualified	☐ Part Lost/Missing	☐ Weld
☐ Cuffs	☐ Contamination	☐ Instructions Incomplete/Unclear	☐ Part Moved	☐ Wrong Stock Pulled
☐ Crushing	☐ Countersink	☐ Misaligned/off center	☐ Positioned Wrong	
☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Power Loss/Surge	☐ Other
☐ Inspection Strip in Tube	☐ Drawing	☐ Misread		________
☐ Marks/Chatter	☐ Drill Holes	☐ Off-set		________
☐ Turning Sequence	☐ Finish	☐ Out of Calibration		________
☐ Wave/Twist in Tube	☐ Fit/Function	☐ Out of Sequence		________

Work Order ID 109634

November-22-13 9:51:17 AM

109634

Item ID: D2565-105 **Accept** *N900040100* **Setup Start** *NS1*

Revision ID:

Item Name: Strut **Stop** *NS2*

Start Date: 11/22/13 **Start Qty:** 10.00 *10* **Cust Item ID:**

Required Date: 12/06/13 **Req'd Qty:** 10.00 *10* **Customer:**

Reference:

Run Start *NR1*

Stop *NR2*

Approvals: **Process Plan:** ____________ **Date:** ________ **Tooling:** ____________ **Date:** ________

QC: ____________ **Date:** ________ **SPC (Y/N):** ____________ **Date:** ________

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160 *160*	QC21- Final Inspection - Work Order Release	0.00						13/12/18	[signature]
QC Quality Control	**Memo**	0.00						CL 13/12/18	

DQA: ________ Date: ________

WORK ORDER NON-CONFORMANCE / UPDATE

DART AEROSPACE

QA Closed: Date:

Work Order update only ☐

Work Order: ________	**DISPOSITION**	**AGAINST DEPARTMENT/PROCESS**			
Part No. ________	Rework ☐	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
NCR No. ________	Scrap ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
	Use-as-is ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
	Suspected Unapproved ☐	Large Fab ☐	Composite ☐	Supplier ☐	☐

Root Cause		Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design	☐									
Doc/Data	☐									
Equip/Tooling	☐									
Handling/Pre	☐									
Material	☐									
Operator	☐									
Offset/Setup	☐									
Process	☐									
Supplier	☐									
Training	☐									
Transport	☐									
Unapproved	☐									

FAULT CATEGORY

Landing Gear	General			
☐ Bending	☐ Bend	☐ Folio/Program	☐ Outside Dimensions	☐ Pressure/Forced
☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance	☐ Set-up
☐ Cracks	☐ Broken/Damage/Defect	☐ Hardware	☐ Part Incorrect	☐ Temperature/Cure
☐ Crimp/Kink/Ripple/Wave	☐ Burrs	☐ Inspection Incomplete/Unqualified	☐ Part Lost/Missing	☐ Weld
☐ Cuffs	☐ Contamination	☐ Instructions Incomplete/Unclear	☐ Part Moved	☐ Wrong Stock Pulled
☐ Crushing	☐ Countersink	☐ Misaligned/off center	☐ Positioned Wrong	
☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Power Loss/Surge	☐ Other
☐ Inspection Strip in Tube	☐ Drawing	☐ Misread	________	
☐ Marks/Chatter	☐ Drill Holes	☐ Off-set	________	
☐ Turning Sequence	☐ Finish	☐ Out of Calibration	________	
☐ Wave/Twist in Tube	☐ Fit/Function	☐ Out of Sequence		

Picklist Print

November-22-13 9:51:21 AM

Work Order ID: 109634 *109634*

Parent Item: D2565-105 *D2565-105*

Parent Item Name: Strut

Start Date: 11/22/13 **Required Date:** 12/06/13

Start Qty: 10.00 **Required Qty:** 10.00

Comments: IPP: F02.04.16Added dwg Rev.C1NG

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304TR0.750W.049		Purchased	No			100	f	337.8490	1.6825	18	DAS 30 9-89	13/11/25	

M304TR0.750W.049 **

304 RD Tube .750 x .049W

Location		Loc Qty	Loc Code	
MAT017		337.849018		
	122312	10.8		
	124768	55.31245		
	M126183	238.620001		
	M126349	33.116567		20

DQA: ______ Date: ______

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date:

Work Order update only ☐

Work Order: ______ Part No. ______ NCR No. ______	**DISPOSITION** Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	**AGAINST DEPARTMENT/PROCESS** Skid-tube ☐ Crosstube ☐ Water Jet ☐ Engineering ☐ Machining ☐ Small Fab ☐ Prod. Eng. Coor. ☐ Quality ☐ Thermoforming ☐ Finishing ☐ Rec/Store/Packaging ☐ Other ☐ Large Fab ☐ Composite ☐ Supplier ☐ ☐

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design ☐									
Doc/Data ☐									
Equip/Tooling ☐									
Handling/Pre ☐									
Material ☐									
Operator ☐									
Offset/Setup ☐									
Process ☐									
Supplier ☐									
Training ☐									
Transport ☐									
Unapproved ☐									

FAULT CATEGORY

Landing Gear

- ☐ Bending
- ☐ Centre Not Concentric
- ☐ Cracks
- ☐ Crimp/Kink/Ripple/Wave
- ☐ Cuffs
- ☐ Crushing
- ☐ Heat Treat
- ☐ Inspection Strip in Tube
- ☐ Marks/Chatter
- ☐ Turning Sequence
- ☐ Wave/Twist in Tube

General

- ☐ Bend
- ☐ BOM/Route
- ☐ Broken/Damage/Defect
- ☐ Burrs
- ☐ Contamination
- ☐ Countersink
- ☐ Cut Too Short
- ☐ Drawing
- ☐ Drill Holes
- ☐ Finish
- ☐ Fit/Function
- ☐ Folio/Program
- ☐ Grain
- ☐ Hardware
- ☐ Inspection Incomplete/Unqualified
- ☐ Instructions Incomplete/Unclear
- ☐ Misaligned/off center
- ☐ Mislabeled
- ☐ Misread
- ☐ Off-set
- ☐ Out of Calibration
- ☐ Out of Sequence
- ☐ Outside Dimensions
- ☐ Over/Under tolerance
- ☐ Part Incorrect
- ☐ Part Lost/Missing
- ☐ Part Moved
- ☐ Positioned Wrong
- ☐ Power Loss/Surge
- ☐ Pressure/Forced
- ☐ Set-up
- ☐ Temperature/Cure
- ☐ Weld
- ☐ Wrong Stock Pulled
- ☐ Other ______


H:/FORMS/Quality Assurance\approved QA/NCRWO RevH

DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHECKED	APPROVED	DRAWING NO. D2565 — REV. E — SHEET 1 OF 1
DATE 04.05.05		TITLE STRUT — SCALE 1:3

RELEASED 04.05.05

REV	DATE	DESCRIPTION
A	96.05.03	NEW ISSUE
B	97.03.15	CORRECT D2565-111 DIM. A
C	98.10.05	UPDATED MATERIAL NOTE (TSR A603)
D	02.06.05	ADD -3XX PARTS; ADD FINISH
E	04.05.05	ADD D2565-401-411; RMV ANGLE D

PART #	A	B	DIA C
D2565-101	20.52	19.72	0.316
D2565-103	18.21	17.41	0.316
D2565-105	20.19	19.39	0.316
D2565-107	13.43	12.63	–
D2565-109	12.31	11.51	–
D2565-111	13.65	12.85	–
D2565-201	22.79	22.00	0.316
D2565-203	20.75	19.95	0.316
D2565-205	21.22	20.42	0.316
D2565-207	16.07	15.27	–
D2565-209	15.16	14.36	–
D2565-211	14.14	13.34	–
D2565-301	27.03	26.23	0.316
D2565-303	25.34	24.54	0.316
D2565-305	23.73	22.93	0.316
D2565-307	20.86	20.06	–
D2565-309	20.17	19.37	–
D2565-311	16.30	15.50	–
D2565-401	18.29	17.49	0.316
D2565-403	15.64	14.84	0.316
D2565-405	19.45	18.65	0.316
D2565-407	10.79	9.99	–
D2565-409	9.34	8.54	–
D2565-411	13.81	13.01	–



109634 MCS 13-11-22

GENERAL NOTES

1) MATERIAL: AISI 304/316/318 SS 0.750 OD X 0.049 WALL
(REF DART SPEC. M304TR0.750W0.049)
ENSURE SEAMLESS TUBE IS USED
2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3
3) TOLERANCES PER DART QSI 018 UNLESS OTHERWISE NOTED
4) ALL DIMENSIONS ARE IN INCHES

DART AEROSPACE LTD

DART AEROSPACE

Description: Strut	Work Order: 109634
Inspection Drawing: D2565 Rev: E	Part Number: 2565-105

INSPECTION SHEET

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
20.19	+/-.020	20.19	✓		T	S6-5
19.39	+/-.030	19.39	✓		T	S8-5
Ø.316	+/-.005					

Measured by: DAS 30 9-89	Checked By: DAS 36 9-89	QC inspector: DAS 27 9-89	Engineering Approval (*if necessary*):
Date 13/12/25	Date 13/12/11	Date 13/12/11	Date

H:\FORMS\Quality Assurance\approved QA\Inspection sheet revA